



Lexmark MS810 Series



Built for superior performance.

Talk about a top performer. With blazing print speeds and multiple finishing styles, the Lexmark MS810 Series satisfies the needs of the busiest corporate offices. Want 2-sided printing capability? Get the MS810dn. Need productivity solutions? Get the MS810de.

Set the pace for increased productivity.

Stay a step ahead by getting more work done faster. These super-efficient systems can meet your most demanding expectations.

Faster processing: Improve your print speeds by taking advantage of up to 2.5 GB of upgradable memory, an 800 MHz dual-core processor and Gigabit Ethernet.



Up to
55 ppm



Multiple
media



Finishing
function



Solution



Reliable high performance: Easily print up to 50,000 pages per month, plus enjoy fewer maintenance hassles, thanks to our state-of-the-art paper handling.

Keep jobs moving: With a maximum input capacity of up to 4,400 sheets and a high yield toner cartridge, you won't have to add paper or change cartridges as often.

Spend less time waiting: Print up to 55 pages per minute, and produce your first page in as little as 4.8 seconds.

Look professional. Work smarter.

Produce documents that are presentation ready with optional automatic finishing that's based on your preferences. Our easy-to-use control panel makes everything simple.

Easy-to-use displays: The bright 2.4-inch color display lets you stay on top of your work. Need more control and productivity solutions? Get the solutions-capable MS810de with the 4.3-inch color touch screen.

Monochrome laser printer

Finishing that adds polish: Produce projects like a pro with optional automated offsetting, stapling and hole punching.

Print on a wide range of media: With built-in 2-sided printing* and the ability to print on diverse materials, you can do more for your business and use less paper.

Innovative toner optimizes performance: Get greater system performance with Lexmark's Unison™ Toner, which delivers consistent quality from first print to last.

Intelligent workflow. Secure design.

Our advanced system simplifies your work processes and increases productivity. Innovative security capabilities provide maximum protection for your critical business data.

Print anytime and anywhere:** With this system, you can print from desktops as well as mobile devices that can run applications.

Enjoy enterprise-level security: Now you can authenticate, authorize and audit employee usage. Plus, you can protect sensitive data using standard network security protocols, data encryption and disk wiping capabilities.


Identify potential risks: Track more than 100 variables and events, including user activity, with Audit Logging. It's designed to work with your intrusion detection system in real time.

Optional productivity solutions: Want to empower your business with workflow solutions that can print on demand, automate tasks and more? Get the solutions-capable MS810de.

*Duplex (two-sided printing) models are ENERGY STAR compliant, MS811dn/dtn, MS812dn/dtn and MS812de only.
**For more information on Lexmark Mobile Solutions see: lexmark.com/mobile



MS810 Series printer features



Standard
 Optional

*For supported maximum configurations, refer to the Printer, Option and Stand Compatibility Guide at http://www.lexmark.com/publications/furniture_safety/

| Product specifications | Lexmark MS810n | Lexmark MS810dn | Lexmark MS810de |
|--|--|---|--|
| Printing | | | |
| Display | 2.4-inch (60 mm) Color LCD display | | Lexmark e-Task 4.3-inch (10.9 cm) colour touch screen |
| Print Speed: Up to ³ | Black: 55 ppm | | |
| Time to First Page: As fast as | Black: 4.8 seconds | | |
| Print Resolution | Black: 600 x 600 dpi, 2400 Image Quality, 1200 x 1200 dpi, 1200 Image Quality | | |
| Memory / Processor | Standard: 512 MB / Maximum: 2560 MB / Dual Core, 800 MHz | | |
| Hard Disk | Option available | | |
| Recommended Monthly Page Volume ⁷ | 3000 - 50000 pages | | |
| Maximum Monthly Duty Cycle: Up to ⁵ | 250000 pages per month | | |
| Supplies² | | | |
| Laser Cartridge Yields (up to) ¹ | 25,000-page High Yield Cartridge, 6,000-page Cartridge | | |
| Imaging Unit Estimated Yield: Up to ⁴ | 100000 pages, based on 3 average letter/A4-size pages per print job and ~ 5% coverage | | |
| Cartridge(s) Shipping with Product ¹ | 10,000-page Starter Return Program Toner Cartridge | | |
| Paper Handling | | | |
| Included Paper Handling | 550-Sheet Output Bin, 100-Sheet Multipurpose Feeder, 550-Sheet Input | Integrated Duplex, 550-Sheet Output Bin, 100-Sheet Multipurpose Feeder, 550-Sheet Input | |
| Optional Paper Handling | Output Expander, High Capacity Output Expander, Staple Punch Finisher, Staple Finisher, 4-Bin Mailbox, 550-Sheet Lockable Tray, 250-Sheet Lockable Tray, 2100-Sheet Tray, 550-Sheet Tray, 250-Sheet Tray | | |
| Paper Input Capacity: Up to | Standard: 650 pages 20 lb or 75 gsm bond / Maximum: 4400 pages 20 lb or 75 gsm bond | | |
| Paper Output Capacity: Up to | Standard: 550 pages 20 lb or 75 gsm bond / Maximum: 2550 pages 20 lb or 75 gsm bond | | |
| Media Types Supported | Refer to the Card Stock & Label Guide., Transparencies, Plain Paper, Paper Labels, Integrated Labels, Envelopes, Dual Web Labels, Card Stock | | |
| Media Sizes Supported | A6, Oficio, Universal, Statement, Letter, Legal, JIS-B5, Folio, Executive, DL Envelope, C5 Envelope, B5 Envelope, A5, A4, 9 Envelope, 7 3/4 Envelope, 10 Envelope | | |
| General Information⁶ | | | |
| Standard Ports | Front USB 2.0 Specification Hi-Speed Certified port (Type A), Gigabit Ethernet (10/100/1000), USB 2.0 Specification Hi-Speed Certified (Type B), One Internal Card Slot | | Rear USB 2.0 Specification Hi-Speed Certified Port (Type A), Front USB 2.0 Specification Hi-Speed Certified port (Type A), Gigabit Ethernet (10/100/1000), USB 2.0 Specification Hi-Speed Certified (Type B), One Internal Card Slot |
| Optional Network Ports / Optional Local Ports | Internal MarkNet N8350 802.11b/g/n Wireless / Internal 1284-B Bidirectional Parallel, Internal RS-232C serial | | |
| Noise Level: Operating | Print: 56 dBA | | |
| Specified Operating Environment | Altitude: 0 - 2896 Meters (9,500 Feet), Humidity: 8 to 80% Relative Humidity, Temperature: 16 to 32°C (60 to 90°F) | | |
| Limited Warranty - See Statement of Limited Warranty | 1-Year Exchange Service, Next Business Day | | |
| Size (in. - H x W x D) / Weight (lb.) | 16.5 x 16.7 x 20.1 in. / 52.2 lb. | | 16.5 x 16.7 x 20.1 in. / 52.3 lb. |

¹Average standard page yield value declared in accordance with ISO/IEC 19752. ²Product functions only with replacement cartridges designed for use in a specific geographical region. See www.lexmark.com/regions for more details. ³Print and copy speeds measured in accordance with ISO/IEC 24734 and ISO/IEC 24735 respectively (ESAT). For more information see: www.lexmark.com/ISOspeeds. ⁴Actual Yield may vary based on other factors such as device speed, paper size and feed orientation, toner coverage, tray source, percentage of black-only printing and average print job complexity. ⁵Maximum Monthly Duty Cycle" is defined as the maximum number of pages a device could deliver in a month using a multishift operation. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPs. ⁶Printers are sold subject to certain license/agreement conditions. See www.lexmark.com/printerlicense for details. ⁷Recommended Monthly Page Volume" is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage.

15WWWIM2B4

© 2015 Lexmark and the Lexmark logo are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. All other trademarks are the property of their respective owners. ENERGY STAR® is a U.S. registered mark.

AirPrint and the AirPrint logo are trademarks of Apple Inc.

